




Šivne in brezšivne okrogle cevi



Geschweißte und nachtlose Rundrohre

Welded and seamless round tubes

Šavne i bezšavne okrugle cijevi

2G hladno valjano, brušena gr.240
kalt gewalzt, geschliffen korn 240
cold rolled, ground gritted grif 240

pol.
polirano
hochglanzpoliert
mirror polished

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.	pol.	pol.				
6	1,0	0,13	●		●		●	●		●
8	1,0	0,18	●		●		●	●		●
10	1,0	0,23	●	●	●	●	●	●		●
10	1,2	0,26	●	●	●	●		●	●	
10	1,5	0,32	●	●	●	●	●		●	
12	1,0	0,28	●	●	●	●	●	●		
12	1,2	0,32	●	●	●	●		●	●	
12	1,5	0,39	●	●	●	●	●	●		●
12	1,6	0,41	●	●	●	●		●	●	
12	2,0	0,50	●	●	●	●		●	●	
14	1,0	0,33	●	●	●	●	●	●		
14	1,2	0,38	●	●	●	●		●		
14	1,5	0,47	●	●	●	●	●	●		●
14	1,6	0,49	●	●	●	●		●	●	
14	2,0	0,60	●	●	●	●	●	●		●
15	1,0	0,35	●	●	●	●	●	●		
15	1,2	0,41	●	●	●	●		●	●	
15	1,5	0,51	●	●	●	●	●	●	●	●
15	1,6	0,54	●	●	●	●		●	●	
15	2,0	0,65	●	●	●	●		●	●	
16	1,0	0,38	●	●	●	●	●	●		
16	1,2	0,44	●	●	●	●		●	●	
16	1,5	0,55	●	●	●	●	●	●	●	
16	1,6	0,58	●	●	●	●		●	●	
16	2,0	0,70	●	●	●	●	●	●		●

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
17,2	1,0	0,41	●	●	●	●		●		
17,2	1,2	0,48	●	●	●	●		●		
17,2	1,5	0,59	●	●	●	●		●		
17,2	1,6	0,63	●	●	●	●	●	●		
17,2	2,0	0,76	●	●	●	●	●	●		
17,2	2,3	0,86	●	●	●	●	●	●		●
17,2	2,5	0,92	●	●	●	●		●		
17,2	2,6	0,95	●	●	●	●		●		
18	1,0	0,43	●	●	●	●	●	●		
18	1,2	0,51	●	●	●	●		●		
18	1,5	0,62	●	●	●	●	●	●		
18	1,6	0,66	●	●	●	●	●	●		
18	2,0	0,80	●	●	●	●	●	●		
18	2,5	0,97	●	●	●	●		●		
18	2,6	1,00	●	●	●	●	●	●		
19	1,0	0,46	●	●	●	●		●		
19	1,2	0,53	●	●	●	●		●		
19	1,5	0,66	●	●	●	●		●		
19	1,6	0,69	●	●	●	●		●		
19	2,0	0,85	●	●	●	●		●		
19	2,5	1,03	●	●	●	●		●		
19	2,6	1,07	●	●	●	●		●		
20	1,0	0,48	●	●	●	●	●	●		
20	1,2	0,56	●	●	●	●		●		
20	1,5	0,70	●	●	●	●	●	●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
20	1,6	0,74	●	●	●	●		●		
20	2,0	0,90	●	●	●	●	●	●	●	●
20	2,5	1,10	●	●	●	●		●		
20	2,6	1,13	●	●	●	●		●		
21,3	1,0	0,53	●	●	●	●		●		
21,3	1,2	0,60	●	●	●	●		●		
21,3	1,5	0,74	●	●	●	●		●		
21,3	1,6	0,79	●	●	●	●	●	●		
21,3	2,0	0,97	●	●	●	●	●	●	●	
21,3	2,5	1,17	●	●	●	●	●	●	●	
21,3	2,6	1,22	●	●	●	●	●	●	●	●
21,3	2,9	1,34	●	●	●	●		●		
21,3	3,0	1,37	●	●	●	●		●		
22	1,0	0,53	●	●	●	●	●	●		
22	1,2	0,62	●	●	●	●		●		
22	1,5	0,77	●	●	●	●		●		
22	1,6	0,82	●	●	●	●		●		
22	2,0	1,00	●	●	●	●		●		
22	2,5	1,22	●	●	●	●		●		
22	2,6	1,26	●	●	●	●		●		
22	2,9	1,39	●	●	●	●		●		
22	3,0	1,43	●	●	●	●		●		
23	1,0	0,55	●	●	●	●	●	●		
23	1,2	0,65	●	●	●	●		●		
23	1,5	0,81	●	●	●	●	●	●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
23	1,6	0,86	●	●	●	●		●		
23	2,0	1,05	●	●	●	●		●		
23	2,5	1,28	●	●	●	●		●		
23	3,0	1,50	●	●	●	●		●		
25	1,0	0,60	●	●	●	●	●	●		
25	1,2	0,71								
25	1,5	0,89	●	●	●	●	●	●		
25	1,6	0,94	●	●	●	●	●	●		
25	2,0	1,16	●	●	●	●	●	●		●
25	2,5	1,41	●	●	●	●		●		
25	2,6	1,46	●	●	●	●		●		
25	2,9	1,60	●	●	●	●		●		
25	3,0	1,65	●	●	●	●		●		
26,9	1,0	0,65	●	●	●	●		●		
26,9	1,2	0,77	●	●	●	●		●		
26,9	1,5	0,95	●	●	●	●		●		
26,9	1,6	1,02	●	●	●	●	●	●		
26,9	2,0	1,25	●	●	●	●	●	●		●
26,9	2,5	1,52	●	●	●	●	●	●		●
26,9	2,6	1,59	●	●	●	●	●	●		●
26,9	2,9	1,74	●	●	●	●	●	●		
26,9	3,0	1,79	●	●	●	●		●		
28	1,0	0,67	●	●	●	●	●	●		
28	1,2	0,80	●	●	●	●		●		
28	1,5	0,99	●	●	●	●	●	●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
28	1,6	1,06	●	●	●	●		●		
28	2,0	1,31	●	●	●	●	●	●		
28	2,5	1,60	●	●	●	●		●	●	
28	2,6	1,65	●	●	●	●		●	●	
28	2,9	1,82	●	●	●	●		●	●	
28	3,0	1,88	●	●	●	●		●	●	
30	1,0	0,73	●	●	●	●	●	●		
30	1,2	0,86	●	●	●	●		●	●	
30	1,5	1,07	●	●	●	●	●	●	●	
30	1,6	1,14	●	●	●	●		●	●	
30	2,0	1,40	●	●	●	●	●	●	●	●
30	2,5	1,72	●	●	●	●	●	●	●	
30	2,6	1,78	●	●	●	●	●	●	●	
30	2,9	1,97	●	●	●	●		●	●	
30	3,0	2,21	●	●	●	●	●	●	●	
30	3,2	2,15	●	●	●	●		●	●	
32	1,0	0,78	●	●	●	●		●		
32	1,2	0,92	●	●	●	●		●	●	
32	1,5	1,15	●	●	●	●		●	●	
32	1,6	1,22	●	●	●	●		●	●	
32	2,0	1,50	●	●	●	●		●	●	
32	2,5	1,85	●	●	●	●		●	●	
32	2,6	1,91	●	●	●	●		●	●	
32	2,9	2,11	●	●	●	●		●	●	
32	3,0	2,18	●	●	●	●		●	●	
32	3,2	2,31	●	●	●	●		●	●	

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
33	1,0	0,80	●	●	●	●		●		
33	1,2	0,96	●	●	●	●		●		
33	1,5	1,18	●	●	●	●		●		
33	1,6	1,26	●	●	●	●		●		
33	2,0	1,55	●	●	●	●		●		
33	2,5	1,91	●	●	●	●		●		
33	2,6	1,98	●	●	●	●		●		
33	2,9	2,19	●	●	●	●		●		
33	3,0	2,25	●	●	●	●		●		
33	3,2	2,39	●	●	●	●		●		
33,7	1,0	0,82	●	●	●	●		●		
33,7	1,2	0,98	●	●	●	●		●		
33,7	1,5	1,21	●	●	●	●		●		
33,7	1,6	1,29	●	●	●	●	●	●		
33,7	2,0	1,59	●	●	●	●	●	●	●	●
33,7	2,5	1,95	●	●	●	●	●	●	●	
33,7	2,6	2,03	●	●	●	●	●	●		
33,7	2,9	2,24	●	●	●	●	●	●		
33,7	3,2	2,45	●	●	●	●	●	●		●
34	1,0	0,83	●	●	●	●		●		
34	1,2	0,99	●	●	●	●		●		
34	1,5	1,22	●	●	●	●		●		
34	1,6	1,30	●	●	●	●		●		
34	2,0	1,60	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
34	2,5	1,97	●	●	●	●		●		
34	2,6	2,04	●	●	●	●		●		
34	2,9	2,26	●	●	●	●		●		
34	3,0	2,33	●	●	●	●		●		
34	3,2	2,47	●	●	●	●		●		
35	1,0	0,85	●	●	●	●		●		
35	1,2	1,02	●	●	●	●		●		
35	1,5	1,26	●	●	●	●	●	●		
35	1,6	1,23	●	●	●	●		●		
35	2,0	1,65	●	●	●	●	●	●		
35	2,5	2,04	●	●	●	●	●	●		
35	2,6	2,11	●	●	●	●		●		
35	2,9	2,33	●	●	●	●		●		
38	3,0	2,40	●	●	●	●		●		
38	3,2	2,55	●	●	●	●		●		
38	1,0	0,92	●	●	●	●		●		
38	1,2	1,11	●	●	●	●		●		
38	1,5	1,37	●	●	●	●	●	●		
38	1,6	1,46	●	●	●	●		●		
38	2,0	1,80	●	●	●	●		●		
38	2,5	2,22	●	●	●	●		●		
38	2,6	2,30	●	●	●	●		●		
38	2,9	2,55	●	●	●	●		●		
38	3,0	2,62	●	●	●	●		●		
38	3,2	2,79	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
40	1,0	0,97	●	●	●	●		●		
40	1,2	1,17	●	●	●	●		●		
40	1,5	1,45	●	●	●	●	●	●		
40	1,6	1,54	●	●	●	●	●	●		
40	2,0	1,90	●	●	●	●	●	●	●	
40	2,5	2,35	●	●	●	●		●		
40	2,6	2,43	●	●	●	●		●		
40	2,9	2,69	●	●	●	●		●		
40	3,0	2,78	●	●	●	●		●		
40	3,2	2,95	●	●	●	●		●		
42,4	1,0	1,03	●	●	●	●		●		
42,4	1,2	1,24	●	●	●	●		●		
42,4	1,5	1,54	●	●	●	●		●		
42,4	1,6	1,64	●	●	●	●	●	●		
42,4	2,0	2,03	●	●	●	●	●	●	●	
42,4	2,5	2,50	●	●	●	●		●		
42,4	2,6	2,60	●	●	●	●	●	●		
42,4	3,0	2,97	●	●	●	●	●	●	●	
42,4	3,2	3,15	●	●	●	●	●	●		●
42,4	3,6	3,50	●	●	●	●	●	●		
43	1,0	1,05	●	●	●	●		●		
43	1,2	1,26	●	●	●	●		●		
43	1,5	1,56	●	●	●	●	●	●		
43	1,6	1,66	●	●	●	●		●		
43	2,0	2,05	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
43	2,5	2,53	●	●	●	●		●		
43	2,6	2,63	●	●	●	●		●		
43	2,9	2,91	●	●	●	●		●		
43	3,0	3,12	●	●	●	●		●		
43	3,2	3,19	●	●	●	●		●		
44,5	1,0	1,09	●	●	●	●		●		
44,5	1,2	1,30	●	●	●	●		●		
44,5	1,5	1,61	●	●	●	●		●		
44,5	1,6	1,72	●	●	●	●		●		
44,5	2,0	2,13	●	●	●	●	●	●		
44,5	2,5	2,63	●	●	●	●	●	●	●	
44,5	2,6	2,73	●	●	●	●	●	●	●	
44,5	2,9	3,02	●	●	●	●		●		
44,5	3,0	3,12	●	●	●	●		●		
44,5	3,2	3,31	●	●	●	●		●		
45	1,0	1,10	●	●	●	●		●		
45	1,2	1,32	●	●	●	●		●		
45	1,5	1,63	●	●	●	●		●		
45	1,6	1,74	●	●	●	●		●		
45	2,0	2,15	●	●	●	●		●		
45	2,5	2,66	●	●	●	●		●		
45	2,6	2,76	●	●	●	●		●		
45	2,9	3,06	●	●	●	●		●		
45	3,0	3,15	●	●	●	●		●		
45	3,2	3,35	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
48,3	1,0	1,18	●	●	●	●		●		
48,3	1,2	1,41	●	●	●	●		●		
48,3	1,5	1,76	●	●	●	●		●		
48,3	1,6	1,88	●	●	●	●	●	●		
48,3	2,0	2,33	●	●	●	●	●	●	●	
48,3	2,5	2,86	●	●	●	●	●	●	●	
48,3	2,6	2,99	●	●	●	●	●	●	●	
48,3	2,9	3,30	●	●	●	●		●	●	
48,3	3,0	3,40	●	●	●	●	●	●	●	
48,3	3,2	3,63	●	●	●	●	●	●	●	
48,3	3,6	4,03	●	●	●	●	●	●		●
50	1,0	1,23	●	●	●	●		●		
50	1,2	1,47	●	●	●	●		●		
50	1,5	1,82	●	●	●	●	●	●		
50	1,6	1,94	●	●	●	●		●		
50	2,0	2,4	●	●	●	●	●	●		
50	2,5	2,97	●	●	●	●		●		
50	2,6	3,09	●	●	●	●		●		
50	2,9	3,42	●	●	●	●		●		
50	3,0	3,53	●	●	●	●		●		
50	3,2	3,75	●	●	●	●		●		
50,8	1,0	1,25	●	●	●	●		●		
50,8	1,2	1,49	●	●	●	●		●		
50,8	1,5	1,85	●	●	●	●	●	●		
50,8	1,6	1,97	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
50,8	2,0	2,44	●	●	●	●	●	●		
50,8	2,5	3,02	●	●	●	●		●	●	
50,8	2,6	3,14	●	●	●	●		●	●	
50,8	2,9	3,48	●	●	●	●		●	●	
50,8	3,0	3,59	●	●	●	●		●	●	
50,8	3,2	3,81	●	●	●	●		●	●	
51	1,0	1,52	●	●	●	●		●	●	
51	1,2	1,50	●	●	●	●		●	●	
51	1,5	1,86	●	●	●	●		●	●	
51	1,6	1,98	●	●	●	●		●	●	
51	2,0	2,45	●	●	●	●		●	●	
51	2,5	3,04	●	●	●	●		●	●	
51	2,6	3,15	●	●	●	●		●	●	
51	2,9	3,49	●	●	●	●		●	●	
51	3,0	3,61	●	●	●	●		●	●	
51	3,2	3,93	●	●	●	●		●	●	
52	1,0	1,27	●	●	●	●		●	●	
52	1,2	1,53	●	●	●	●		●	●	
52	1,5	1,89	●	●	●	●		●	●	
52	1,6	2,02	●	●	●	●		●	●	
52	2,0	2,50	●	●	●	●		●	●	
52	2,5	3,10	●	●	●	●		●	●	
52	2,6	3,22	●	●	●	●		●	●	
52	2,9	3,56	●	●	●	●		●	●	
52	3,0	3,68	●	●	●	●		●	●	
52	3,2	3,91	●	●	●	●		●	●	

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571		AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.			pol.		
53	1,0	1,30	●	●	●	●		●	●		
53	1,2	1,56	●	●	●	●		●	●		
53	1,5	1,93	●	●	●	●		●	●		
53	1,6	2,06	●	●	●	●		●	●		
53	2,0	2,55	●	●	●	●		●	●		
53	2,5	3,16	●	●	●	●		●	●		
53	2,6	3,28	●	●	●	●		●	●		
53	2,9	3,64	●	●	●	●		●	●		
53	3,0	3,76	●	●	●	●		●	●		
53	3,2	3,99	●	●	●	●		●	●		
54	1,0	1,33	●	●	●	●		●	●		
54	1,2	1,59	●	●	●	●		●	●		
54	1,5	1,97	●	●	●	●		●	●		
54	1,6	2,10	●	●	●	●		●	●		
54	2,0	2,60	●	●	●	●		●	●		
54	2,5	3,22	●	●	●	●		●	●		
54	2,6	3,35	●	●	●	●		●	●		
54	2,9	3,71	●	●	●	●		●	●		
54	3,0	3,83	●	●	●	●		●	●		
54	3,2	4,07	●	●	●	●		●	●		
60,3	1,0	1,48	●	●	●	●		●	●		
60,3	1,2	1,78	●	●	●	●		●	●		
60,3	1,5	2,21	●	●	●	●		●	●		
60,3	1,6	2,35	●	●	●	●		●	●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
60,3	2,0	2,92	●	●	●	●		●		
60,3	2,5	3,62	●	●	●	●		●		
60,3	2,6	3,76	●	●	●	●		●		
60,3	2,9	4,17	●	●	●	●		●		
60,3	3,0	4,32	●	●	●	●	●	●	●	
60,3	3,2	4,58	●	●	●	●	●	●	●	
60,3	3,6	5,13	●	●	●	●	●	●	●	●
63,5	1,2	1,87	●	●	●	●		●		
63,5	1,5	2,33	●	●	●	●		●		
63,5	1,6	2,48	●	●	●	●		●		
63,5	2,0	3,08	●	●	●	●		●		
63,5	2,5	3,82	●	●	●	●		●		
63,5	2,6	3,96	●	●	●	●		●		
63,5	2,9	4,40	●	●	●	●		●		
63,5	3,0	4,54	●	●	●	●		●		
63,5	3,2	4,83	●	●	●	●		●		
64	2,0	3,11	●	●	●	●	●	●		
69	2,0	3,36	●	●	●	●	●	●		
70	1,2	2,07	●	●	●	●		●		
70	1,5	2,57	●	●	●	●		●		
70	1,6	2,74	●	●	●	●		●		
70	2,0	3,41	●	●	●	●	●	●		
70	2,5	4,26	●	●	●	●		●		
70	2,6	4,39	●	●	●	●		●		
70	2,9	4,87	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
70	3,0	5,03	●	●	●	●		●		
70	3,2	5,35	●	●	●	●		●		
73	1,2	2,16	●	●	●	●		●		
73	1,5	2,69	●	●	●	●		●		
73	1,6	2,86	●	●	●	●		●		
73	2,0	3,56	●	●	●	●		●		
73	2,5	4,41	●	●	●	●		●		
73	2,6	4,58	●	●	●	●		●		
73	2,9	5,09	●	●	●	●		●		
73	3,0	5,26	●	●	●	●		●		
73	3,2	5,59	●	●	●	●		●		
76,1	1,2	2,25	●	●	●	●		●		
76,1	1,5	2,80	●	●	●	●		●		
76,1	1,6	3,00	●	●	●	●	●	●		
76,1	2,0	3,72	●	●	●	●	●	●	●	●
76,1	2,3	4,27	●	●	●	●	●	●	●	
76,1	2,5	4,60	●	●	●	●	●	●	●	●
76,1	2,6	4,80	●	●	●	●	●	●	●	
76,1	2,9	4,87	●	●	●	●	●	●	●	
76,1	3,0	5,51	●	●	●	●	●	●	●	
76,1	3,2	5,84	●	●	●	●	●	●	●	
76,1	3,6	6,56	●	●	●	●	●	●	●	●
80	1,2	2,38	●	●	●	●		●		
80	1,5	2,95	●	●	●	●		●		
80	1,6	3,14	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
80	2,0	3,91	●	●	●	●	●	●		
80	2,5	4,85	●	●	●	●		●	●	
80	2,6	5,04	●	●	●	●		●	●	
80	2,9	5,60	●	●	●	●		●	●	
80	3,0	5,78	●	●	●	●		●	●	
80	3,2	6,15	●	●	●	●		●	●	
83	1,2	2,46	●	●	●	●		●	●	
83	1,5	3,06	●	●	●	●		●	●	
83	1,6	3,26	●	●	●	●		●	●	
83	2,0	4,06	●	●	●	●		●	●	
83	2,5	5,04	●	●	●	●		●	●	
83	2,6	5,23	●	●	●	●		●	●	
83	2,9	5,82	●	●	●	●		●	●	
83	3,0	6,01	●	●	●	●		●	●	
83	3,2	6,39	●	●	●	●		●	●	
84	1,2	2,49	●	●	●	●		●	●	
84	1,5	3,10	●	●	●	●		●	●	
84	1,6	3,30	●	●	●	●		●	●	
84	2,0	4,11	●	●	●	●		●	●	
84	2,5	4,12	●	●	●	●	●	●	●	
84	2,6	5,23	●	●	●	●		●	●	
84	2,9	5,89	●	●	●	●		●	●	
84	3,0	6,08	●	●	●	●		●	●	
84	3,2	6,47	●	●	●	●		●	●	
85	1,2	2,52	●	●	●	●		●	●	

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
85	1,5	3,14	●	●	●	●		●	●	
85	1,6	3,34	●	●	●	●		●	●	
85	2,0	4,16	●	●	●	●	●	●	●	
85	2,5	5,16	●	●	●	●		●	●	
85	2,6	5,36	●	●	●	●		●	●	
85	2,9	5,96	●	●	●	●		●	●	
85	3,0	6,16	●	●	●	●		●	●	
85	3,2	6,55	●	●	●	●		●	●	
88,9	1,2	2,63	●	●	●	●		●	●	
88,9	1,5	3,29	●	●	●	●	●	●	●	
88,9	1,6	3,51	●	●	●	●	●	●	●	
88,9	2,0	4,37	●	●	●	●	●	●	●	●
88,9	2,3	5,01	●	●	●	●	●	●	●	
88,9	2,5	5,41	●	●	●	●		●	●	
88,9	2,6	5,62	●	●	●	●		●	●	
88,9	2,9	6,24	●	●	●	●		●	●	
88,9	3,0	6,45	●	●	●	●		●	●	
88,9	3,2	6,87	●	●	●	●		●	●	
101,6	1,2	3,02	●	●	●	●		●	●	
101,6	1,5	3,76	●	●	●	●		●	●	
101,6	1,5	4,00	●	●	●	●		●	●	
101,6	2,0	4,99	●	●	●	●		●	●	
101,6	2,5	6,20	●	●	●	●		●	●	
101,6	2,6	6,44	●	●	●	●		●	●	
101,6	2,9	7,17	●	●	●	●		●	●	

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
101,6	3,0	7,41	●	●	●	●		●		
101,6	3,2	7,88	●	●	●	●		●		
104	1,2	3,09	●	●	●	●		●		
104	1,5	3,85	●	●	●	●		●		
104	1,6	4,10	●	●	●	●		●		
104	2,0	5,11	●	●	●	●		●		
104	2,5	6,35	●	●	●	●		●		
104	2,6	6,60	●	●	●	●		●		
104	2,9	7,34	●	●	●	●		●		
104	3,0	7,59	●	●	●	●		●		
104	3,2	8,08	●	●	●	●		●		
108	1,2	3,21	●	●	●	●		●		
108	1,5	4,00	●	●	●	●		●		
108	1,6	4,26	●	●	●	●		●		
108	2,0	6,31	●	●	●	●		●		
108	2,5	6,60	●	●	●	●		●		
108	2,6	6,86	●	●	●	●		●		
108	2,9	7,63	●	●	●	●		●		
108	3,0	7,89	●	●	●	●	●	●		
108	3,2	8,40	●	●	●	●		●		
114,3	1,2	3,40		●	●			●		
114,3	1,5	4,24		●	●			●		
114,3	1,6	4,51		●	●			●		
114,3	2,0	5,64	●	●	●	●	●	●		
114,3	2,5	7,00	●	●	●	●		●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
114,3	2,6	7,3	●	●	●	●	●	●		
114,3	2,9	8,09	●	●	●	●	●	●		
114,3	3,0	8,39	●	●	●	●	●	●		●
114,3	3,2	8,90	●	●	●	●	●	●		
114,3	3,6	9,98	●	●	●	●	●	●		
114,3	4,0	11,09	●	●	●	●	●	●		
129	1,5	4,79	●	●	●	●		●		
129	1,6	5,10	●	●	●	●		●		
129	2,0	6,38	●	●	●	●	●	●		
129	2,5	7,92	●	●	●	●		●		
129	2,6	8,23	●	●	●	●		●		
129	2,9	9,16	●	●	●	●		●		
129	3,0	9,46	●	●	●	●		●		
129	3,2	10,08	●	●	●	●		●		
139,7	1,5	5,19	●	●	●	●		●		
139,7	1,6	5,53	●	●	●	●		●		
139,7	2,0	6,92	●	●	●	●	●	●		
139,7	2,5	8,59	●	●	●	●		●		
139,7	2,6	8,96	●	●	●	●	●	●		
139,7	2,9	9,93	●	●	●	●		●		
139,7	3,0	10,31	●	●	●	●	●	●		●
139,7	3,2	10,94	●	●	●	●		●		
139,7	4,0	13,64	●	●	●	●	●	●		
154	2,0	7,64	●	●	●	●	●	●		
154	2,5	9,48	●	●	●	●	●	●		

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
154	2,6	9,86	●	●	●	●		●		
154	2,9	10,97	●	●	●	●		●		
154	3,0	11,34	●	●	●	●		●		
154	3,2	12,08	●	●	●	●		●		
159	2,0	7,89	●	●	●	●	●	●		
168,3	2,0	8,36	●	●	●	●	●	●		
168,3	2,5	10,38	●	●	●	●		●		
168,3	2,6	10,83	●	●	●	●	●	●		
168,3	3,0	12,46	●	●	●	●	●	●		●
168,3	3,2	13,23	●	●	●	●		●		
168,3	4,0	16,52	●	●	●	●	●	●		
168,3	5,0	20,52	●	●	●	●	●	●		
204	2,0	10,15	●	●	●	●	●	●		
219,1	2,0	10,91	●	●	●	●	●	●		
219,1	2,6	14,15	●		●		●	●		
219,1	2,77	15,06	●		●		●	●		
219,1	2,9	15,76	●		●		●	●		
219,1	3,0	16,29	●		●		●	●		
219,1	4,0	21,62	●		●		●	●		
219,1	5,0	26,90	●		●		●	●		
254	2,0	12,67	●		●		●	●		
273	2,0	13,62	●		●		●	●		
273	4,0	27,04	●		●		●	●		
304	2,0	15,18	●		●		●	●		
306	3,0	22,84	●	●	●		●			

ŠIVNE CEVI
GESCHWEIßTE ROHRE
WELDED TUBES
ŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI 309 W.Nr.: 1.4828	AISI 314 W.Nr.: 1.4841
			2G	pol.		pol.				
323,9	3,0	24,19	●	●	●		●			
323,9	4,0	32,16	●	●	●		●			
323,9	5,0	40,07	●	●	●		●			
354	2,0	17,69	●	●	●		●			
355,6	3,0	26,58	●	●	●		●			
406,4	3,0	30,41	●	●	●	●				
406,4	4,0	40,45	●	●	●	●				
406,4	5,0	50,44	●	●	●	●				
508	3,0	38,07	●	●	●	●				
508	4,0	50,60	●	●	●	●				
609,6	4,0	60,87	●	●	●	●				

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
4	1,0	0,08	●	●	●	●	
5	1,0	0,10	●	●	●	●	
6	0,5	0,07	●	●	●	●	
6	1,0	0,13	●	●	●	●	●
6	1,5	0,17	●	●	●	●	
6	2,0	0,20	●	●	●	●	
8	0,5	0,09	●	●	●	●	
8	1,0	0,18	●	●	●	●	●
8	1,5	0,25	●	●	●	●	●
8	2,0	0,30	●	●	●	●	
9	1,0	0,20	●	●	●	●	
10	1,0	0,23	●	●	●	●	●
10	1,5	0,32	●	●	●	●	●
10	2,0	0,40	●	●	●	●	●
10	2,5	0,47	●	●	●	●	●
10,2	1,6	0,35	●	●	●	●	
10,2	2,0	0,41	●	●	●	●	●
11	2,6	0,54	●	●	●	●	●
12	1,0	0,28	●	●	●	●	●
12	1,5	0,40	●	●	●	●	●
12	2,0	0,50	●	●	●	●	●
12	2,5	0,59	●	●	●	●	●
12	2,9	0,66	●	●	●	●	●
12	3,0	0,68	●	●	●	●	
13	1,0	0,30	●	●	●	●	
13	1,5	0,43	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
13	2,5	0,66	●	●	●	●	
13,5	1,6	0,48	●	●	●	●	
13,5	2,0	0,58	●	●	●	●	
13,5	2,3	0,65	●	●	●	●	●
13,5	2,6	0,71	●	●	●	●	●
13,5	2,9	0,77	●	●	●	●	
13,72	2,24	0,64	●	●	●	●	
13,72	3,02	0,81	●	●	●	●	
14	1,0	0,33	●	●	●	●	
14	1,5	0,47	●	●	●	●	●
14	2,0	0,6	●	●	●	●	●
14	2,5	0,72	●	●	●	●	
14	3,0	0,83	●	●	●	●	
15	1,0	0,35	●	●	●	●	●
15	1,5	0,51	●	●	●	●	●
15	2,0	0,65	●	●	●	●	●
16	1,0	0,38	●	●	●	●	
16	1,5	0,55	●	●	●	●	
16	2,0	0,70	●	●	●	●	●
16	2,5	0,84	●	●	●	●	
16	3,0	0,98	●	●	●	●	
16	4,0	1,20	●	●	●	●	●
17	1,0	0,40	●	●	●	●	
17	1,5	0,58	●	●	●	●	
17	2,3	0,87	●	●	●	●	●
17	3,0	1,05	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
17,15	2,31	0,86	●	●	●	●	
17,15	3,2	1,12	●	●	●	●	
17,2	1,6	0,63	●	●	●	●	
17,2	2,0	0,76	●	●	●	●	
17,2	2,3	0,86	●	●	●	●	●
17,2	2,6	0,95	●	●	●	●	
17,2	2,9	1,04					
18	1,0	0,43	●	●	●	●	
18	1,5	0,62	●	●	●	●	
18	2,0	0,80	●	●	●	●	●
18	3,0	1,13	●	●	●	●	
18	3,5	1,27	●	●	●	●	
18	4,0	1,41	●	●	●	●	
19	1,5	0,66	●	●	●	●	
20	1,0	0,48	●	●	●	●	
20	1,5	0,70	●	●	●	●	●
20	2,0	0,90	●	●	●	●	●
20	2,5	1,10	●	●	●	●	
20	3,0	1,28	●	●	●	●	●
20	3,5	1,45	●	●	●	●	
20	4,0	1,61	●	●	●	●	
20	5,0	1,88	●	●	●	●	
21	3,0	1,35	●	●	●	●	
21,3	1,6	0,79	●	●	●	●	●
21,3	2,0	0,97	●	●	●	●	●
21,3	2,6	1,22	●	●	●	●	●

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
21,3	2,9	1,34	●	●	●	●	
21,3	3,2	1,46	●	●	●	●	
21,34	2,11	1,02	●	●	●	●	
21,34	2,77	1,29	●	●	●	●	
21,34	3,73	1,65	●	●	●	●	
21,34	4,75	1,98	●	●	●	●	
21,34	7,47	2,59	●	●	●	●	
22	1,0	0,53	●	●	●	●	
22	1,5	0,77	●	●	●	●	
22	2,0	1,01	●	●	●	●	●
22	3,0	1,43	●	●	●	●	●
22	4,0	1,80	●	●	●	●	
23	1,5	0,81	●	●	●	●	
24	2,0	1,10	●	●	●	●	
24	3,5	1,79	●	●	●	●	
24	4,0	2,00	●	●	●	●	
25	1,0	0,60	●	●	●	●	
25	1,5	0,89	●	●	●	●	●
25	2,0	1,16	●	●	●	●	●
25	2,5	1,41	●	●	●	●	
25	3,0	1,66	●	●	●	●	
25	3,5	1,88	●	●	●	●	
25	4,0	2,11	●	●	●	●	●
25	5,0	2,51	●	●	●	●	●
26,67	2,11	1,30	●	●	●	●	
26,67	2,87	1,72	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
26,67	3,91	2,24	●	●	●	●	●
26,67	5,54	2,94	●	●	●	●	
26,67	7,82	3,69	●	●	●	●	
26,9	1,6	1,02	●	●	●	●	
26,9	2,0	1,25	●	●	●	●	●
26,9	2,3	1,42	●	●	●	●	●
26,9	2,6	1,59	●	●	●	●	●
26,9	3,2	1,90	●	●	●	●	●
27	3,0	1,80	●	●	●	●	
27	4,0	2,30	●	●	●	●	
28	1,0	0,68	●	●	●	●	
28	1,5	1,00	●	●	●	●	●
28	2,0	1,13	●	●	●	●	
28	3,0	1,88	●	●	●	●	
28	3,5	2,15	●	●	●	●	●
28	4,0	2,40	●	●	●	●	
28	5,0	2,88	●	●	●	●	
30	1,0	0,73	●	●	●	●	
30	1,5	1,07	●	●	●	●	
30	2,0	1,41	●	●	●	●	●
30	2,6	1,79	●	●	●	●	●
30	3,0	2,04	●	●	●	●	●
30	3,5	2,32	●	●	●	●	
30	4,0	2,61	●	●	●	●	●
30	5,0	3,14	●	●	●	●	
32	2,0	1,50	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
32	2,5	1,85	●	●	●	●	
32	3,0	2,18	●	●	●	●	●
33	1,5	1,18	●	●	●	●	
33	4,0	2,90	●	●	●	●	
33,4	2,77	2,13	●	●	●	●	
33,4	3,38	2,55	●	●	●	●	
33,4	4,55	3,30	●	●	●	●	
33,4	6,35	4,30	●	●	●	●	
33,4	9,09	5,53	●	●	●	●	
33,7	1,6	1,29	●	●	●	●	
33,7	2,0	1,59	●	●	●	●	●
33,7	2,6	2,03	●	●	●	●	●
33,7	2,9	2,24	●	●	●	●	
33,7	3,2	2,45	●	●	●	●	●
33,7	3,6	2,72	●	●	●	●	●
33,7	4,05	3,02	●	●	●	●	
33,7	4,5	3,29	●	●	●	●	
34	1,5	1,22	●	●	●	●	
34	2,0	1,60	●	●	●	●	
34	3,5	2,67	●	●	●	●	
34	4,0	3,01	●	●	●	●	
34	5,0	3,63	●	●	●	●	
34	5,5	3,93	●	●	●	●	
35	1,5	1,26	●	●	●	●	
35	2,0	1,65	●	●	●	●	
35	2,5	2,04	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
35	3,0	2,40	●	●	●	●	
35	4,0	3,11	●	●	●	●	●
35	5,0	3,76	●	●	●	●	●
36	2,0	1,70	●	●	●	●	
38	1,5	1,37	●	●	●	●	
38	2,0	1,81	●	●	●	●	
38	2,6	2,31	●	●	●	●	●
38	3,0	2,64	●	●	●	●	
38	3,6	3,10	●	●	●	●	
38	4,0	3,42	●	●	●	●	
38	5,0	4,15	●	●	●	●	●
38	6,0	4,80	●	●	●	●	
38	6,3	5,00	●	●	●	●	●
40	1,5	1,45	●	●	●	●	
40	2,0	1,91	●	●	●	●	
40	2,5	2,36	●	●	●	●	
40	3,0	2,79	●	●	●	●	
40	4,0	3,61	●	●	●	●	
40	5,0	4,40	●	●	●	●	
42	2,0	2,00	●	●	●	●	
42	3,0	2,93	●	●	●	●	
42	6,0	5,41	●	●	●	●	
42,16	2,77	2,74	●	●	●	●	
42,16	3,56	3,45	●	●	●	●	
42,16	4,85	4,55	●	●	●	●	
42,16	6,35	5,69	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
42,4	1,6	1,64	●	●	●	●	
42,4	2,0	2,03	●	●	●	●	●
42,4	2,6	2,60	●	●	●	●	●
42,4	3,2	3,15	●	●	●	●	●
42,4	3,6	3,49	●	●	●	●	
42,4	4,05	3,90	●	●	●	●	
43	1,5	1,56	●	●	●	●	
43	5,5	5,17	●	●	●	●	
44	2,0	2,10	●	●	●	●	
44,5	2,0	2,14	●	●	●	●	
44,5	2,6	2,74	●	●	●	●	
44,5	2,9	3,02	●	●	●	●	
44,5	3,2	3,31	●	●	●	●	
44,5	4,0	4,06	●	●	●	●	
44,5	5,5	5,37	●	●	●	●	
45	2,0	2,15	●	●	●	●	
45	3,5	3,64	●	●	●	●	
45	5,0	5,01	●	●	●	●	
48	4,0	4,41	●	●	●	●	
48,26	2,77	3,17	●	●	●	●	
48,26	3,68	4,12	●	●	●	●	
48,26	5,08	5,51	●	●	●	●	
48,26	7,14	7,04	●	●	●	●	
48,26	10,16	9,68	●	●	●	●	
48,3	1,6	1,87	●	●	●	●	
48,3	2,0	2,33	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
48,3	2,6	2,99	●	●	●	●	●
48,3	2,9	3,30	●	●	●	●	
48,3	3,2	3,63	●	●	●	●	●
48,3	4,05	4,50	●	●	●	●	●
48,3	8,0	8,07	●	●	●	●	
49	5,5	5,99	●	●	●	●	
50	2,0	2,41	●	●	●	●	
50	2,5	2,97	●	●	●	●	
50	3,0	3,53	●	●	●	●	
50	5,0	5,65	●	●	●	●	●
50	6,0	6,63	●	●	●	●	
51	2,0	2,45	●	●	●	●	●
51	2,6	3,16	●	●	●	●	
51	4,0	4,71	●	●	●	●	
52	1,5	1,90	●	●	●	●	
53	1,5	1,93	●	●	●	●	
53	3,0	3,76	●	●	●	●	
53	4,0	4,91	●	●	●	●	
53	4,5	5,47	●	●	●	●	
54	2,0	2,61	●	●	●	●	
55	2,5	3,29	●	●	●	●	
55	5,0	6,28	●	●	●	●	
57	2,0	2,76	●	●	●	●	
57	2,6	3,55	●	●	●	●	
57	2,9	3,94	●	●	●	●	●
57	3,5	4,69	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
57	4,0	5,31	●	●	●	●	●
57	4,5	5,94	●	●	●	●	
57	5,0	6,51	●	●	●	●	
57	6,3	8,20	●	●	●	●	
57	6,5	8,22	●	●	●	●	
60	5,0	6,89	●	●	●	●	
60,3	1,6	2,35	●	●	●	●	
60,3	2,0	2,93	●	●	●	●	
60,3	2,6	3,77	●	●	●	●	
60,3	2,9	4,17	●	●	●	●	●
60,3	3,2	4,59	●	●	●	●	
60,3	3,6	5,13	●	●	●	●	●
60,3	4,5	6,31	●	●	●	●	
60,3	5,0	6,92	●	●	●	●	●
60,3	5,54	7,62	●	●	●	●	
60,3	7,1	9,46	●	●	●	●	
60,3	8,0	10,48	●	●	●	●	●
60,3	10,0	12,59	●	●	●	●	
60,33	2,77	4,01	●	●	●	●	
60,33	3,91	5,54	●	●	●	●	
60,33	5,54	7,63	●	●	●	●	
60,33	8,74	11,33	●	●	●	●	
60,33	11,07	13,66	●	●	●	●	
63,5	5,0	7,32	●	●	●	●	
64	2,0	3,11	●	●	●	●	
65	2,5	3,91	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
65	3,0	4,66	●	●	●	●	
65	3,5	5,39	●	●	●	●	
68	4,0	6,41	●	●	●	●	
70	2,0	3,41	●	●	●	●	
70	2,5	4,23	●	●	●	●	
70	2,9	4,89	●	●	●	●	●
70	4,0	6,61	●	●	●	●	
70	4,5	7,38	●	●	●	●	
70	5,0	8,17	●	●	●	●	
70	7,0	11,04	●	●	●	●	
73,03	3,05	5,36	●	●	●	●	
73,03	5,16	8,80	●	●	●	●	
73,03	7,01	11,64	●	●	●	●	
73,03	9,53	15,15	●	●	●	●	
76	5,0	8,89	●	●	●	●	
76	6,0	10,52	●	●	●	●	
76,1	2,0	3,72	●	●	●	●	
76,1	2,3	4,27	●	●	●	●	
76,1	2,6	4,80	●	●	●	●	
76,1	2,9	5,33	●	●	●	●	●
76,1	3,2	5,86	●	●	●	●	
76,1	3,6	6,56	●	●	●	●	●
76,1	4,0	7,22	●	●	●	●	
76,1	4,5	8,10	●	●	●	●	
76,1	5,0	8,90	●	●	●	●	●
76,1	6,3	11,01	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
80	2,0	3,91	●	●	●	●	
80	2,5	4,85	●	●	●	●	
80	4,0	7,61	●	●	●	●	
80	5,0	9,39	●	●	●	●	
85	2,5	5,17	●	●	●	●	
88,9	2,0	4,37	●	●	●	●	
88,9	2,3	4,98	●	●	●	●	
88,9	2,6	5,64	●	●	●	●	
88,9	2,9	6,27	●	●	●	●	
88,9	3,05	6,58	●	●	●	●	
88,9	3,2	6,89	●	●	●	●	
88,9	3,6	7,72	●	●	●	●	
88,9	4,05	8,64	●	●	●	●	
88,9	4,5	9,54	●	●	●	●	
88,9	5,0	10,50	●	●	●	●	
88,9	5,49	11,51	●	●	●	●	●
88,9	6,3	13,03	●	●	●	●	
88,9	7,62	15,56	●	●	●	●	
88,9	11,13	21,67	●	●	●	●	
88,9	15,24	28,11	●	●	●	●	
90	5,0	10,64	●	●	●	●	
97	4,0	9,32	●	●	●	●	
100	3,0	7,29	●	●	●	●	
100	5,0	11,89	●	●	●	●	
101,6	3,6	8,83	●	●	●	●	
101,6	4,05	9,93	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
101,6	5,0	12,09	●	●	●	●	
101,6	5,74	13,83	●	●	●	●	
101,6	8,08	18,92	●	●	●	●	
102	6,5	15,54	●	●	●	●	
105	2,5	6,42	●	●	●	●	
108	2,9	7,63	●	●	●	●	
108	3,0	7,92	●	●	●	●	
108	3,2	8,39	●	●	●	●	
108	3,6	9,41	●	●	●	●	
108	4,0	10,45	●	●	●	●	●
108	4,5	11,66	●	●	●	●	
108	5,0	12,94	●	●	●	●	●
108	6,3	16,04	●	●	●	●	
114,3	2,6	7,30	●	●	●	●	
114,3	3,05	8,53	●	●	●	●	
114,3	3,2	8,90	●	●	●	●	
114,3	3,6	10,01	●	●	●	●	●
114,3	4,5	12,42	●	●	●	●	
114,3	5,4	14,73	●	●	●	●	
114,3	6,02	16,38	●	●	●	●	●
114,3	6,3	17,04	●	●	●	●	
114,3	7,11	19,15	●	●	●	●	
114,3	8,56	22,75	●	●	●	●	
114,3	8,56	22,75	●	●	●	●	
114,3	13,49	34,05	●	●	●	●	
114,3	17,12	41,66	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
121	4,0	11,76	●	●	●	●	
127	4,0	12,32	●	●	●	●	
133	4,0	12,97	●	●	●	●	●
133	5,0	16,08	●	●	●	●	
133	6,3	19,99	●	●	●	●	
139,7	4,0	13,64	●	●	●	●	
139,7	5,0	16,86	●	●	●	●	●
139,7	6,3	21,04	●	●	●	●	
139,7	7,1	23,57	●	●	●	●	
141,3	6,55	22,18	●	●	●	●	
141,3	9,53	31,56	●	●	●	●	
159	4,5	17,47	●	●	●	●	●
159	6,3	24,09	●	●	●	●	
168,28	3,4	14,09	●	●	●	●	
168,28	7,11	28,80	●	●	●	●	
168,28	10,97	43,37	●	●	●	●	
168,3	4,5	18,52	●	●	●	●	
168,3	5,0	20,52	●	●	●	●	●
168,3	7,11	28,80	●	●	●	●	●
168,3	10,9	43,11	●	●	●	●	
219,1	6,3	33,69	●	●	●	●	●
219,1	8,18	43,36	●	●	●	●	
219,1	12,7	65,87	●	●	●	●	
219,1	23,01	112,98	●	●	●	●	
273	9,53	63,10	●	●	●	●	
273	12,7	82,78	●	●	●	●	

BREZŠIVNE CEVI
NACHTLOSE ROHRE
SEAMLESS TUBES
BEZŠAVNE CIJEVI

Zunanji Ø Außen Ø Outside Ø Vanjski Ø mm	Debelina stene Wanddicke Wall thickness Debljina stenke	Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	AISI314 W. Nr. 1.4841
273	25,4	157,48	●	●	●	●	
273	28,58	174,92	●	●	●	●	
323,9	9,53	74,94	●	●	●	●	
323,9	12,7	98,96	●	●	●	●	
323,9	17,48	134,26	●	●	●	●	
323,9	20,0	152,19	●	●	●	●	
323,9	28,58	211,47	●	●	●	●	
323,9	33,32	242,44	●	●	●	●	
368	11,0	98,33	●	●	●	●	
368	14,2	125,8	●	●	●	●	