




Pločevina



Bleche

Sheet

Limovi

EN		ASTM	DIN	BS
1D	toplo valjana, toplotno obdelana, lužena warmgewalzt, wärmebehandelt, gebeizt hot rolled, heat treated, pickled	1	c2 (II.A)	1
2B	hladno valjana, toplotno obdelana kaltgewalzt, wärmebehandelt, gebeizt, kalt nachgewalzt Cold rolled, heat treated, pickled, light rerolled	2B	n (III.C)	2B
2R	hladno valjana, svetlo žarjena (polirano) kalt gewalzt, blankgeglüht (hochglanzpoliert) cold rolled, bright annealed (mirror polished)	BA	m (III.D)	2A



Dimenzija Format Size mm	Teža Gewicht Weight Težina kg/tbl. Kg/tfl. kg/sheet	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301			AISI 316L W.Nr.: 1.4404			AISI 321 W.Nr.: 1.4541			AISI 316Ti W.Nr.: 1.4571		AISI 309 W.Nr.: 1.4828	AISI 314 W. Nr. 1.4841	
		III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	II.A (1D)	III.C (2B)	III.D (2R)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.C (2B)	II.A (1D)	III.C (2B)
0,3 x1000X2000	4,8							•									
0,4 x1000x2000	6,4				•			•									
0,5 x1000x2000	8,0		•		•			•	•	•			•		•	•	
x1250x2500	12,5				•				•								
0,6 x1000x2000	9,6		•		•			•	•	•					•	•	
x1250x2500	15		•		•			•	•						•	•	
0,7 x1000x2000	11,2		•		•			•	•				•		•	•	
x1250x2500	17,5		•		•				•								
0,8 x1000x2000	12,8	•	•		•			•	•	•			•		•	•	
x1250x2500	20	•	•		•			•	•				•		•	•	
x1500X3000	28,8				•			•					•		•	•	
0,9 x1000x2000	14,4				•												
x1500x3000	32,4				•												
1,0 x1000x2000	16	•	•		•	•		•	•				•	•	•	•	
x1250x2500	25	•	•		•			•	•				•	•	•	•	
x1500x3000	36	•	•		•			•	•				•		•	•	
1,2 x1000x2000	19,2				•	•											
x1250x2500	30				•												
x1500x3000	43,2				•												
1,25 x1000x2000	20	•	•		•	•							•		•	•	
x1250x2500	31,25	•	•		•	•									•	•	
x1500x3000	45	•			•												
1,5 x1000x2000	24	•	•		•	•			•				•	•	•	•	
x1250x2500	37,5	•	•		•	•			•				•	•	•	•	
x1500x3000	54	•			•	•			•				•	•	•	•	
x2000x4000	96				•				•				•		•	•	
x2000x6000	144				•				•				•		•	•	

Dimenzija Format Size	Teža Gewicht Weight Težina kg/tbl. Kg/tfl. kg/sheet	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301			AISI 316L W.Nr.: 1.4404			AISI 321 W.Nr.: 1.4541			AISI 316TI W.Nr.: 1.4571		AISI 309 W.Nr.: 1.4828	AISI314 W. Nr. 1.4841	
		III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.C (2B)	II.A (1D)	III.C (2B)
2,0 x1000x2000	32	●	●	●	●	●			●	●			●	●	●	●	
	x1250x2500	50	●	●	●	●	●			●			●	●	●	●	
	x1500x3000	72	●		●	●	●		●	●	●		●	●	●	●	
	x2000x4000	128			●				●				●			●	
	x2000x6000	192			●				●				●			●	
2,5 x1000x2000	40	●	●	●	●	●							●		●	●	
	x1250x2500	62,5			●	●			●				●			●	
	x1500x3000	90	●		●				●				●				
	x2000x4000	160			●				●				●			●	
	x2000x6000	240			●				●				●			●	
3,0 x1000x2000	48	●	●	●	●	●			●				●	●	●	●	
	x1250x2500	75	●		●	●			●	●	●		●	●	●	●	
	x1500x3000	108			●	●			●				●	●	●	●	
	x2000x4000	192			●	●			●				●	●	●	●	
	x2000x6000	288			●	●			●				●	●	●	●	
4,0 x1000x2000	64	●		●	●				●	●			●	●	●	●	
	x1250x2500	100			●	●			●				●	●	●	●	
	x1500x3000	144			●	●			●				●	●	●	●	
	x2000x4000	256			●	●			●	●			●	●	●	●	
	x2000x6000	384			●	●			●	●			●	●	●	●	
5,0 x1000x2000	80			●	●			●	●				●	●	●	●	
	x1250x2500	125			●	●			●	●			●	●	●	●	
	x1500x3000	180			●	●			●	●			●	●	●	●	
	x2000x4000	320			●	●			●	●			●	●	●	●	
	x2000x6000	480			●	●			●	●			●	●	●	●	
6,0 x1000x2000	96			●	●			●	●				●	●	●	●	
	x1250x2500	150			●	●			●	●			●	●	●	●	
	x1500x3000	216			●	●			●	●			●	●	●	●	
	x2000x4000	384			●	●			●	●			●	●	●	●	
	x2000x6000	576			●	●			●	●			●	●	●	●	

Dimenzija Format Size	Teža Gewicht Weight Težina	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301			AISI 316L W.Nr.: 1.4404			AISI 321 W.Nr.: 1.4541			AISI 316TI W.Nr.: 1.4571		AISI 309 W.Nr.: 1.4828	AISI314 W. Nr. 1.4841	
		mm	kg/tbl. Kg/tfl. kg/sheet	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.C (2B)
8,0 x1000x2000	128			•			•			•	•		•			•	•
	x1250x2500	200			•	•				•			•			•	•
	x1500x3000	288			•	•				•			•			•	•
	x2000x4000	512			•	•				•	•		•	•		•	
	x2000x6000	768			•	•				•	•		•	•		•	•
10,0 x1000x2000	160			•			•			•			•			•	•
	x1250x2500	250			•					•			•			•	•
	x1500x3000	360			•					•			•			•	•
	x2000x4000	640			•					•			•			•	
	x2000x6000	960			•					•			•			•	•
12,0 x1000x2000	192			•			•			•			•			•	•
	x1250x2500	300			•					•			•			•	
	x1500x3000	432			•					•			•			•	•
	x2000x4000	768			•					•		•				•	
	x2000x6000	1152			•					•		•				•	•
15,0 x1000x2000	240			•			•			•			•			•	•
	x1250x2500	375			•					•			•			•	
	x1500x3000	540			•					•			•			•	•
	x2000x6000	1440			•					•			•			•	•
20,0 x1000x2000	320			•			•						•			•	•
	x1250x2500	500					•						•			•	
	x1500x3000	720					•						•			•	•
	x2000x6000	1920											•			•	•
25,0 x1000x2000	400			•						•			•			•	
	x1250x2500	625															
	x1500x3000	900															
	x2000x6000	2400											•			•	•
30,0 x1000x2000	480			•						•			•			•	
	x1250x2500	750			•					•			•				
	x1500x3000	1080			•					•			•				
	x2000x4000	1920			•					•			•				

Dimenzija Format Size mm	Teža Gewicht Weight Težina kg/tbl. Kg/tfl. kg/sheet	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301			AISI 316L W.Nr.: 1.4404			AISI 321 W.Nr.: 1.4541			AISI 316TI W.Nr.: 1.4571		AISI 309 W.Nr.: 1.4828	AISI314 W. Nr. 1.4841	
		III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.D (2R)	II.A (1D)	III.C (2B)	III.C (2B)	II.A (1D)	III.C (2B)
20,0 x1000x2000	320			•					•					•	•	•	
x1250x2500	500								•					•	•		
x1500x3000	720								•					•	•		
x2000x6000	1920													•	•	•	
25,0 x1000x2000	400			•					•			•		•	•		
x1250x2500	625																
x1500x3000	900																
x2000x6000	2400													•	•	•	
30,0 x1000x2000	480			•					•			•			•		
x1250x2500	750			•					•			•					
x1500x3000	1080			•					•			•					
x2000x4000	1920			•					•			•					
x2000x6000	2880													•	•	•	
35,0 x1000x2000	560														•		
x2000x4000	1600																
x2000x6000	3360								•			•			•		
40,0 x1000x2000	640														•		
x1500x3000	1440								•			•					
x2000x4000	2560																
x2000x6000	3840								•			•			•		
45,0 x2000x4000	2880																
x2000x6000	4320								•			•					
50,0 x1000x2000	800														•		
x2000x4000	3200																
x2000x6000	4800			•					•			•			•		
60,0 x2000x6000	5760								•			•					
70,0 x2000x6000	6720								•			•					
80,0 x2000x6000	7680								•			•					

PLOČEVINE Z BRUŠENO POVRŠINO
 GESCHLIFFENE BLECHE
 POLISHED SHEET
 BRUŠENI LIMOVI



Dimenzija Format Size mm	Teža Gewicht Weight Težina kg/tbl.	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541		AISI 316TI W.Nr.: 1.4571		AISI 316 W.Nr.: 1.4828 1.4841	
		BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno gebürstet / brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed
0,4 x1000x2000	6,4			•	•								
0,5 x1000x2000	8,0			•	•	•	•	•	•	•	•		
x1250x2500	12,5			•	•	•	•						
0,6 x1000x2000	9,6			•	•	•	•			•	•		
x1250x2500	15			•	•	•	•			•	•		
0,7 x1000x2000	11,2			•	•	•	•	•	•	•	•		
x1250x2500	17,5			•	•	•							
0,8 x1000x2000	12,8			•	•	•	•	•	•	•	•		
x1250x2500	20			•	•			•	•	•	•		
x1500x3000	28,8			•	•			•	•	•	•		
0,9 x1000x2000	14,4			•	•								
x1500x3000	32,4			•	•								
1,0 x1000x2000	16	•	•	•	•	•	•	•	•	•	•		
x1250x2500	25			•	•	•	•	•	•	•	•		
x1500x3000	36			•	•	•	•	•	•	•	•		
1,2 x1000x2000	19,2			•	•								
x1250x2500	30			•	•								
x1500x3000	43,2												
1,25 x1000x2000	20			•	•			•	•	•	•		
x1250x2500	31,25	•		•	•					•	•		
x1500x3000	45			•	•								

Dimenzija Format Size	Teža Gewicht Weight Težina	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541		AISI 316Ti W.Nr.: 1.4571		AISI 316 W.Nr.: 1.4828 1.4841	
		BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed
mm	kg/tbl.												
1,5 x1000x2000	24	•	•	•	•	•	•	•	•	•	•	•	•
x1250x2500	37,5	•	•	•	•	•	•	•	•	•	•	•	•
x1500x3000	54	•	•	•	•	•	•	•	•	•	•	•	•
x2000x4000	96			•	•	•	•	•	•	•	•	•	•
x2000x6000	144			•	•	•	•	•	•	•	•	•	•
2,0 x1000x2000	32	•	•	•	•	•	•	•	•	•	•	•	•
x1250x2500	50	•	•	•	•	•	•	•	•	•	•	•	•
x1500x3000	72			•	•	•	•	•	•	•	•	•	•
x2000x4000	128			•	•	•	•	•	•	•	•	•	•
x2000x6000	192			•	•	•	•	•	•	•	•	•	•
2,5 x1000x2000	40			•	•								
x1250x2500	62,5			•	•	•	•						
x1500x3000	90	•	•	•	•								
x2000x4000	160			•	•	•	•	•	•	•	•	•	•
x2000x6000	240			•	•	•	•	•	•	•	•	•	•
3,0 x1000x2000	48			•	•	•	•	•	•	•	•	•	•
x1250x2500	75			•	•	•	•	•	•	•	•	•	•
x1500x3000	108			•	•	•	•	•	•	•	•	•	•
x2000x4000	192			•	•	•	•	•	•	•	•	•	•
x2000x6000	288			•	•	•	•	•	•	•	•	•	•
4,0 x1000x2000	64	•	•	•	•	•	•	•	•	•	•	•	•
x1250x2500	100			•	•	•	•						
x1500x3000	144			•	•	•	•	•	•	•	•	•	•
4,0 x2000x4000	256			•	•	•	•	•	•	•	•	•	•
x2000x6000	384			•	•	•	•	•	•	•	•	•	•

Dimenzija Format Size	Teža Gewicht Weight Težina	AISI 430 W.Nr.: 1.4016		AISI 304 W.Nr.: 1.4301		AISI 316L W.Nr.: 1.4404		AISI 321 W.Nr.: 1.4541		AISI 316TI W.Nr.: 1.4571		AISI 316 W.Nr.: 1.4828 1.4841	
		BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed	BR 240/ korn 240/ grif 240	Scotch- brite krtačeno/ gebürstet/ brushed
mm	kg/tbl.												
5,0 x1000x2000	80			•	•	•	•						
x1250x2500	125			•	•			•	•	•	•		
x1500x3000	180			•	•	•	•	•	•	•	•		
x2000x4000	320		•		•	•	•	•	•	•	•	•	•
x2000x6000	480		•		•	•	•	•	•	•	•	•	•