



Ploščato jeklo



Flachstahl

Flat bars

Plosnato

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
10x	3	0,24	●			●
	4	0,31	●		●	●
	5	0,39	●		●	●
	6	0,47	●			●
12x	3	0,28	●		●	●
	4	0,38	●		●	●
	5	0,47	●			
	6	0,57	●		●	●
	8	0,75	●		●	●
	10	0,94	●			
15x	3	0,36	●		●	●
	4	0,47	●		●	●
	5	0,59	●		●	●
	6	0,71	●		●	●
	8	0,94	●		●	●
	10	1,18	●		●	●
20x	2	0,32	●			
	3	0,47	●	●	●	●
	4	0,63	●	●	●	●
	5	0,79	●	●	●	●
	6	0,94	●	●	●	●
	8	1,26	●	●	●	●
	10	1,57	●	●	●	●
	12	1,88	●		●	●
	15	2,36	●		●	●
25x	3	0,59	●	●	●	●
	4	0,79	●	●	●	●
	5	0,89	●	●	●	●
	6	1,18	●	●	●	●
	8	1,57	●	●	●	●

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
25x	10	1,96	•	•	•	•
	12	2,36	•	•	•	•
	15	2,94	•	•	•	•
	20	3,93	•		•	•
30x	2	0,47	•			
	3	0,71	•	•	•	•
	4	0,94	•	•	•	•
	5	1,18	•	•	•	•
	6	1,41	•	•	•	•
	8	1,88	•	•	•	•
	10	2,36	•	•	•	•
	12	2,83	•	•	•	•
	15	3,53	•	•	•	•
	20	4,71	•	•	•	•
	25	5,89	•		•	•
	35x	3	0,82	•		•
4		1,10	•		•	•
5		1,37	•	•	•	•
6		1,65	•	•	•	•
8		2,20	•	•	•	•
10		2,75	•	•	•	•
12		3,30	•		•	•
15		4,12	•		•	•
20		5,5	•		•	•
25		6,87	•		•	•
40x	2	0,63	•			
	3	0,94	•	•	•	•
	4	1,26	•	•	•	•
	5	1,57	•	•	•	•

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
40x	6	1,88	●	●	●	●
	8	2,51	●	●	●	●
	10	3,14	●	●	●	●
	12	3,77	●	●	●	●
	15	4,71	●	●	●	●
	20	6,28	●	●	●	●
	25	7,85	●	●	●	●
	30	9,42	●		●	●
	35	10,99	●		●	●
45x	3	1,06	●		●	●
	4	1,41	●		●	●
	5	1,77	●	●	●	●
	6	2,12	●	●	●	●
	8	2,83	●	●	●	●
	10	3,53	●	●	●	●
	12	4,24	●		●	●
	15	5,3	●		●	●
	20	7,07	●		●	●
	25	8,83	●		●	●
	30	10,6	●		●	●
	35	12,36				●
	40	14,3				●
50x	3	1,18	●	●	●	●
	4	1,57	●	●	●	●
	5	1,96	●	●	●	●
	6	2,36	●	●	●	●
	8	3,14	●	●	●	●
	10	3,93	●	●	●	●
	15	5,89	●	●	●	●

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
50x	20	7,85	●	●	●	●
	25	9,81	●	●	●	●
	30	11,78	●	●	●	●
	35	13,74	●	●	●	●
	40	15,70	●	●	●	●
	45	17,60				●
55x	5	2,16	●			●
	6	2,59	●			●
	8	3,45	●		●	●
	10	4,32	●		●	●
	12	5,18	●		●	●
	15	6,48	●		●	●
	20	8,64	●		●	●
	25	10,79	●		●	●
	30	12,95	●		●	●
60x	3	1,41	●	●		●
	4	1,88	●	●	●	●
	5	2,36	●	●	●	●
	6	2,83	●	●	●	●
	8	3,77	●	●	●	●
	10	4,71	●	●	●	●
	12	5,65	●	●	●	●
	15	7,07	●	●	●	●
	20	9,42	●	●	●	●
	25	11,78	●	●	●	●
	30	14,13	●	●	●	●
	35	16,49	●	●	●	●
	40	18,84	●	●	●	●
	45	21,20	●	●	●	●
	50	23,56	●	●	●	●

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
65x	5	2,55	●		●	●
	6	3,06	●		●	●
	8	4,08	●		●	●
	10	5,10	●		●	●
	12	6,12	●		●	●
	15	7,65	●		●	●
	20	10,21	●		●	●
	25	12,76	●		●	●
	30	15,31	●			●
	35	17,8	●			●
	40	20,41	●			●
	70x	3	1,68	●	●	
4		2,20	●	●		●
5		2,75	●	●		●
6		3,30	●	●		●
8		4,40	●	●	●	●
10		5,50	●	●	●	●
12		6,60	●	●	●	●
15		8,24	●	●	●	●
20		10,99	●	●	●	●
25		13,74	●		●	●
30		16,49	●		●	●
35		19,23	●	●	●	●
40		21,98	●		●	●
45		24,73	●		●	●
50		27,78	●		●	●
60		32,97	●		●	●
75x	5	2,94	●		●	●
	6	3,53	●		●	●
	8	4,71	●		●	●

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
75x	10	5,89	●		●	●
	12	7,07	●		●	●
	15	8,83	●		●	●
	20	11,78	●		●	●
	25	14,72	●		●	●
	30	17,66	●			●
	35	20,61		●		●
80x	4	2,51	●	●		●
	5	3,14	●	●	●	●
	6	3,77	●	●	●	●
	8	5,02	●	●	●	●
	10	6,28	●	●	●	●
	12	7,54	●	●	●	●
	15	9,42	●	●	●	●
	20	12,56	●	●	●	●
	25	15,70	●	●	●	●
	30	18,84	●	●	●	●
	35	21,98	●	●	●	●
	40	25,12	●	●	●	●
	45	28,26	●	●	●	●
	50	31,40	●	●	●	●
60	37,68	●	●	●	●	
90x	3	2,16	●	●		
	5	3,53	●	●	●	●
	6	4,24	●	●	●	●
	8	5,65	●	●	●	●
	10	7,07	●	●	●	●
	12	8,48	●	●	●	●
	15	10,6	●	●	●	●
20	14,13	●	●	●	●	

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension mm	Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
90x 25	17,66	•		•	•
30	21,2	•		•	•
35	24,73	•		•	•
40	28,26	•		•	•
45	31,79	•		•	•
50	35,32	•		•	•
60	42,39	•		•	•
70	49,46			•	•
100x 3	2,34	•	•		
4	3,12	•	•		•
5	3,93	•	•	•	•
6	4,71	•	•	•	•
8	6,28	•	•	•	•
10	7,85	•	•	•	•
12	9,42	•	•	•	•
15	11,77	•	•	•	•
20	15,70	•	•	•	•
25	19,63	•	•	•	•
30	23,55	•	•	•	•
35	27,48	•	•	•	•
40	31,40	•	•	•	•
45	35,33	•	•	•	•
50	39,26	•	•	•	•
60	47,10	•	•	•	•
70	54,95	•	•	•	•
110x 5	4,32	•		•	•
6	5,18	•		•	•
8	6,91	•		•	•
10	8,64	•		•	•
12	10,36	•		•	•

TOPLOTNO OBDELANO
 WARM GEFORMT
 HOT FORMED
 TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
110x	15	12,95	●		●	●
	20	17,27	●		●	●
	25	22,04	●		●	●
	30	25,91	●		●	●
	40	34,63		●		
120x	4	3,84	●			
	5	4,71	●		●	●
	6	5,65	●		●	●
	8	7,45	●	●	●	●
	10	9,42	●	●	●	●
	12	11,30	●	●	●	●
	15	14,13	●	●	●	●
	20	18,84	●	●	●	●
	25	23,55	●		●	●
	30	28,26	●	●	●	●
	40	37,68	●		●	●
	50	47,12	●		●	●
	60	56,52	●		●	●
70	65,94			●	●	
125x	10	9,78	●			
130x	5	5,10			●	
	6	6,12	●		●	●
	8	8,16	●		●	●
	10	10,21	●		●	
	12	12,25	●		●	●
	15	15,31	●		●	●
	20	20,41	●		●	●
	25	25,51			●	●
30	30,62	●		●	●	

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
130x	40	40,82			•	•
	50	51,15				•
	60	61,23			•	•
	70	71,44			•	•
140x	5	5,60	•			
	6	6,59	•		•	•
	8	8,79	•		•	•
	10	10,99	•		•	•
	12	13,19	•		•	•
	15	16,49	•		•	•
	20	21,98	•		•	•
	25	27,48	•		•	
	30	32,97			•	•
	40	43,96			•	•
	50	54,95			•	•
	60	65,94				•
150x	5	5,85	•			•
	6	7,07	•		•	•
	8	9,42	•	•	•	•
	10	11,77	•	•	•	•
	12	14,13	•		•	•
	15	17,66	•			•
	20	23,55	•		•	•
	25	29,44	•		•	•
	30	35,33	•		•	•
	40	47,10	•		•	•
	50	58,88	•			•
160x	5	6,40	•			
	6	7,68	•			
	8	10,24	•		•	•

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
160x	10	12,80	●		●	●
	12	15,36	●		●	●
	15	19,20	●		●	●
	20	25,60	●			
	25	31,40	●			
	30	37,68	●			
	40	50,24	●			
180x	6	8,64	●			
	8	11,52	●		●	●
	10	14,40	●		●	●
	12	17,28	●		●	●
	15	21,60	●		●	●
	20	28,80	●			
	25	35,36	●			
	30	42,39	●			
	40	56,52	●			
200x	5	8,00	●			●
	6	9,60	●			●
	8	12,80	●		●	●
	10	16,00	●		●	●
	12	19,20	●		●	●
	15	24,00	●		●	●
	20	28,80	●			
	30	47,10	●			
	40	62,80	●			
	15	30,00	●			●
	20	40,00	●			●
	300x	6	14,40	●		
8		19,20	●			●
10		24,00	●			●

TOPLOTNO OBDELANO
WARM GEFORMT
HOT FORMED
TERMIČKI OBRADENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
300x	12	28,80	●			●
	15	36,00	●			●
	20	48,00				●
350x	6	16,80	●			●
	8	22,40	●			●
	10	28,00	●			●
	12	33,60	●			●
	15	42,00	●			●
400x	6	19,20	●			●
	8	25,60	●			●
	10	32,00	●			●
	12	38,40	●			●
	15	48,00	●			●
450x	6	21,60	●			●
	8	28,80	●			●
	10	36,00	●			●
	12	43,20	●			●
500x	6	24,00	●			●
	8	32,00	●			●
	10	40,00	●			●
	12	48,00	●			●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED
SVETLO VUČENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
8x	4	0,25	•		
10x	3	0,25	•		•
	4	0,31	•		•
	5	0,39	•	•	•
	6	0,47	•		
	8	0,63	•		
12x	3	0,28	•		•
	4	0,38	•		
	5	0,47	•		
	6	0,57	•		
	8	0,75	•		
15x	3	0,35	•		•
	4	0,47	•		•
	5	0,59	•		•
	6	0,70	•		•
	8	0,94	•		•
	10	1,17	•		•
	12	1,41	•		
16x	6	0,75	•		
20x	3	0,47	•		•
	4	0,62	•		•
	5	0,79	•	•	•
	6	0,94	•	•	•
	8	1,26	•	•	•
	10	1,57	•	•	•
	12	1,88	•	•	•
	15	2,36	•	•	•
25x	3	0,59	•		•
	4	0,78	•		•

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED
SVETLO VUČENO

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
25x	5	0,98	●		●
	6	1,17	●		●
	8	1,57	●	●	●
	10	1,96	●	●	●
	12	2,36	●		●
	15	2,94	●		●
	20	3,93	●		●
30x	3	0,70	●		●
	4	0,94	●		●
	5	1,18	●	●	●
	6	1,41	●	●	●
	8	1,88	●	●	●
	10	2,36	●	●	●
	12	2,83	●	●	●
	15	3,53	●	●	●
	20	4,71	●	●	●
	25	5,89	●		●
35x	4	1,10	●		
	5	1,37	●		
	6	1,65	●		
	8	2,20	●		
	10	2,75	●		
	12	3,30	●		
	15	4,10	●		
	20	5,50	●		
40x	3	0,94	●		
	4	1,26	●		●
	5	1,57	●	●	●
	6	1,88	●	●	●

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED
SVETLO VUČENO

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
40x	8	2,51	•	•	•
	10	3,14	•	•	•
	12	3,77	•	•	•
	15	4,71	•	•	•
	20	6,28	•	•	•
	25	7,85	•	•	•
	30	9,42	•	•	•
45x	5	1,76	•		
	6	2,12	•		
	8	2,82	•		
	10	3,53	•		
	12	4,24	•		
	15	5,3	•		
50x	3	1,17	•		
	4	1,57	•		
	5	1,96	•		•
	6	2,36	•		•
	8	3,14	•	•	•
	10	3,93	•	•	•
	12	4,71	•	•	•
	15	5,89	•	•	•
	20	7,85	•	•	•
	25	9,81	•		
	30	11,78	•		
	35	13,74	•		
	40	15,70	•		
60x	4	1,87	•		
	5	2,36	•		•
	6	2,83	•		•
	8	3,77	•	•	•

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED
SVETLO VUČENO

Dimenzija Abmessung Dimension		Teža Gewicht Weight Težina	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
60x	10	4,71	●	●	●
	12	5,65	●	●	●
	15	7,07	●	●	●
	20	9,42	●	●	●
	25	11,78	●		
	30	14,13	●		
	35	16,49	●		
	40	18,72	●		
70x	5	2,75	●		
	6	3,30	●		
	8	4,40	●		
	10	5,50	●		●
	12	6,60	●		
	20	10,99	●		
	25	13,74	●		
80x	4	2,50	●		
	5	3,14	●		
	6	3,77	●		●
	8	5,02	●		●
	10	6,28	●	●	●
	12	7,54	●	●	●
	15	9,42	●	●	
	20	12,56	●	●	
	25	15,7	●		
	30	18,72	●		
90x	6	4,24	●		
	8	5,65	●		
	10	7,07	●		
	12	8,48	●		
	15	10,6	●		

HLADNO OBDELANO
KALT WEITERVERARBEITET
COLD FINISHED
SVETLO VUČENO

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight Težina kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
90x	20	14,08	●		
	25	17,60	●		
100x	5	3,93	●		
	6	4,71	●		●
	8	6,28	●		●
	10	7,85	●	●	●
	12	9,42	●	●	
	15	11,78	●	●	
	20	15,70	●	●	
	25	19,55	●		
	30	23,46	●		
110x	8	6,88	●		
	10	8,60	●		
120 x	8	7,51	●		●
	10	9,38	●		
	15	14,08	●		
	20	18,77	●		
140 x	8	8,76	●		
	10	10,95	●		
150 x	8	9,38	●		
	10	11,73	●		
	15	17,60	●		
160 x	10	12,51	●		
180 x	10	14,08	●		
200 x	10	15,64	●		
	15	8,24	●		